

# AUTHOR INDEX

## VOLUME 55

### A

- Adam, L. H.**  
Atmospheric Exposure of Wrought Aluminum and Magnesium Alloys, 284.
- Adams, R. C.**  
Discussion. Published in ASTM BULLETIN, No. 203, Jan., 50 (TP10).
- Alquist, F. N.**  
Methods of Preparing and Maintaining High Purity Water—Summary of Proceedings of STP 179, 1224.
- Anderegg, J. A., and Anderegg, F. O.**  
Some Volume Changes in Mortars and Concrete. Published in ASTM BULLETIN, No. 210, Dec., 60 (TP236).
- Anderegg, F. O.**  
See Anderegg, J. A., and Anderegg, F. O.
- Anderson, E. A.**  
The Atmospheric Corrosion of Rolled Zinc—Summary of Proceedings of STP 175, 1060.
- Andrew, K. F.**  
See Gulbrandsen, E. A., and Andrew, K. F.
- Armington, A. F.**  
See Walker, P. L., Jr., Rakowski, J. F., and Armington, A. F.
- Armstrong, T. N., and Miller, O. O.**  
Effects of Manganese and Aluminum Contents on Transition Temperature of Normalized Nickel Steel—Summary of Proceedings of STP 176, 1061.
- Armstrong, T. N., and Warner, W. L.**  
Low Temperature Transition on Normalized Carbon-Manganese Steel—Summary of Proceedings of STP 176, 1061.
- Austin, A. E., and Schwartz, C. M.**  
Decomposition of Austenite and Martensite, 623.

### B

- Baumann, F. H., and Diefenderfer, H. H.**  
A Laboratory Method of Test for No-Dirt Retention Time of Traffic Paints. Published in ASTM BULLETIN, No. 208, Sept., 32.
- Baumeister, Gordon B.**  
Production Testing of Bonded Materials with Ultrasonics. Published in ASTM BULLETIN, No. 204, Feb., 50 (TP52).
- Beard, L. C., Jr.**  
Discussion. Published in ASTM BULLETIN, No. 203, Jan., 50 (TP10).
- Bendure, Robert J.**  
Acid Contamination as a Source of Error in Boiling Nitric Acid Test for Corrosion-Resistant Steels. Published in ASTM BULLETIN, No. 207, July, 76 (TP148).
- Bennett, J. A.**  
Effect of an Anodic (HAE) Coating on the Fatigue Strength of Magnesium Alloy Specimens, 1015. Disc., 1020.  
See also Frankel, H. E., and Bennett, J. A. Discussion, 939.
- Berggren, R. G., and Wilson, J. C.**  
A Remotely Operated Extensometer. Published in ASTM BULLETIN, No. 210, Dec., 35 (TP211).  
See Wilson, J. C., and Berggren, R. G.
- Bernhard, R. K.**  
Discussion. Published in ASTM BULLETIN, No. 207, July, 60 (TP132).
- Bernhard, R. K., and Chasek, M.**  
Soil Density Determination by Direct Transmission of Gamma Rays, 1199. Disc., 1217.
- Berry, J. M., and Martin, D. L.**  
Thermocouple Immersion Errors—Summary of Proceedings of STP 178, 1059.
- Betteridge, W., and Smith, R. A.**  
Effect of Heat Treatment and Structure Upon Creep Properties of Nimonic Alloys Between 750 and 950 C—Summary of Proceedings of STP 174, 1058.
- Beu, Karl E.**  
The Sensitivity, Reproducibility, and Accuracy of X-ray Diffraction Measurements of Retained Austenite, 630.

**Blainey, A.**

The Development of Zirconium-Rich Protective Coatings and Brazing Materials for Heat Resisting Alloys—Summary of Proceedings of *STP 174*, 1058.

**Blaser, R. H., and Owens, J. J.**

Special Corrosion Study of Carbon and Low Alloy Steels—Summary of Proceedings of *STP 179*, 1224.

**Blatz, W. E., Reynolds, E. E., and Dyrkacz, W. W.**

Influence of Boron on Cast Cobalt-Base S-816 Alloy—Summary of Proceedings of *STP 174*, 1058.

**Bloem, Delmar L.**

Studies of Uniformity of Compressive Strength Tests of Ready Mixed Concrete. Published in *ASTM BULLETIN*, No. 206, May, 65 (TP113).

**Bluhm, Joseph I.**

The Influence of Pendulum Flexibilities on Impact Energy Measurements—Summary of Proceedings of *STP 176*, 1061.

**Blumenthal, H.**

See Pfaffinger, K., Blumenthal, H., and Glaser, F. W.

**Bohn, G. H.**

A Mathematical Formula for the Calculation of the Tensile Strength of Copper-Silicon-Manganese-Iron Alloy, 199. Discussion, 1041.

**Boor, Ladislov.**

See Reinhart, Frank W., Brown, Catherine, Boor, Ladislov, and Lamb, John J.

**Bowman, John R.**

See Ridenour, W. P., and Bowman, John R.

**Bragg, R. H.**

See Copeland, L. E., and Bragg, R. H.

**Bravey, D. W.**

See Irving, R., and Bravey, D. W.

**Breen, J. E., and Lane, J. R.**

Effect of Rare Earth Additions on the High-Temperature Properties of a Cobalt-Base Alloy—Summary of Proceedings of *STP 174*, 1058.

**Brown, Catherine**

See Reinhart, Frank W., Brown, Catherine, Boor, Ladislov, and Lamb, John J.

**Brown, Lloyd H., and Reineck, E. A.**

Measuring Volume Shrinkage of Resinous Mortars. Published in *ASTM BULLETIN*, No. 205, April, 67 (TP93).

**Brown, L. S.**

Some Observations on the Mechanics of Alkali-Aggregate Reaction. Published in

*ASTM BULLETIN*, No. 205, April, 40 (TP66). Disc., p. 45 (TP71).

**Brown, Paul E.**

See Woughton, Donald M., Seamon, James M., and Brown, Paul E.

**Brown, W. F., Jr.**

See Jones, M. H., and Brown, W. F., Jr. Discussion, 764.

**Bruckart, W. L., and Jaffee, R. I.**

High-Temperature Properties of Molybdenum-Rich Alloy Compositions Made by Powder Metallurgy Methods—Summary of Proceedings of *STP 174*, 1058.

**Bryant, Mather.**

Discussion, 1109.

**Bucklin, Albert G., and Grant, Nicholas J.**

Chromium-Nickel Alloys for High-Temperature Applications—Summary of Proceedings of *STP 174*, 1058.

**Bulst, J. M., and Williams, G. E.**

Crack Growth Testing: Variation Between Laboratories. Published in *ASTM BULLETIN*, No. 205, Apr., 35 (TP61).

**Burgan, D. D.**

See Mangone, R. J., Burgan, D. D., and Hall, A. M.

**Burmister, D. M.**

The History and Development of Committee D-18 Judgment Factors and the Environment in Soil Testing—Summary of Proceedings of the Discussion on Judgment Factors in Soils Testing, 5. Discussion, 1217.

**Burnett, H. C.**

See Staugaitis, C. L., and Burnett, H. C.

## C

**Calhoun, S. Fred**

Development of a Method for Determining the Oil Separation Tendencies of Multipurpose Greases. Published in *ASTM BULLETIN*, No. 210, Dec., 45, (TP221).

**Carey, R. H.**

Fatigue Testing of Nonrigid Plastics. Published in *ASTM BULLETIN*, No. 206, May, 52 (TP100).

See Pusey, B. B., and Carey, R. H.

**Carlson, John F.**

See Thomas, John M., and Carlson, John F.

**Carpenter, C. A.**

Suggestions on the Planning of Fog Rooms for Curing Concrete Test Specimens. Published in *ASTM BULLETIN*, No. 209, Oct., 33 (TP187).

**Chasek, M.**

See Bernhard, R. K., and Chasek, M.

- Christiansen, G. G.**  
Discussion, 1129.
- Clark, M. E., and Sidebottom, O. M.**  
An Inexpensive Constant-Load Testing Machine. Published in ASTM BULLETIN, No. 203, Jan., 69 (TP29). Disc., 72 (TP 32).
- Cleaton, Robetta B.**  
See Gooding, R. M., and Cleaton, Robetta B.
- Compton, K. G., and Mendizsa, A.**  
Galvanic Couple Corrosion Studies by Means of the Threaded Bolt and Wire Test—Summary of Proceedings of STP 175, 1060.
- Connor, William S.**  
See Horowitz, Emanuel, and Connor, William, S.
- Copeland, L. E., and Bragg, R. H.**  
Self-Desiccation in Portland-Cement Pastes. Published in ASTM BULLETIN, No. 204, Feb., 34 (TP36).
- Copson, H. R.**  
Atmospheric Corrosion Behavior of Some Nickel Alloys—Summary of Proceedings of STP 175, 1060.  
Report of Subcommittee VI on Atmospheric Corrosion—Summary of Proceedings of STP 175, 1060.
- Corbett, L. W.**  
Field Reproducibility of the Asphalt Penetration Test, Published in ASTM BULLETIN, No. 206, May, 63 (TP111).
- Cross, W. H., and McWhirter, Max.**  
Shock Tester for Shipping Containers—Summary of Proceedings of STP 176, 1061.
- Crouse, W. A.**  
See Robert, A. G., Crouse, W. A., and Pizer, R. S.
- Crowe, John J., Jr.**  
Discussion, 731.
- Crum, R. G., and D'Appolonia, D.**  
Behavior of Ti-75A Titanium Alloy Under Repeated Load, 969. Disc., 979.
- Cummings, A. E.**  
Critical Review Work of Committee D-18—Summary of Proceedings of the Discussion on Judgment Factors in Soils Testing, 5.
- D**
- D'Appolonia, D.**  
See Crum, R. G., and D'Appolonia, D.
- D'Appolonia, E.**  
See Kaufman, J. G., and D'Appolonia, E.
- Davis, E. A.**  
Introduction to Symposium on Basic Effects of Environment on the Strength, Scaling, and Embrittlement of Metals at High Temperatures—Summary of Proceedings of STP 171, 1227.
- Decker, G. E., and Mandel, J.**  
Mooney Viscometer Cure Characteristics of Hevea Rubber (Results of an Interlaboratory Test). Published in ASTM BULLETIN, No. 209, Oct., 47 (TP201).
- Demmler, A. W., Jr., Sinnott, M. J., and Thomassen, L.**  
The Fatigue Properties of Some Titanium Alloys, 981. Disc., 993.
- Denny, J. P., Jahnke, L. P., Jones, E. S., and Robertshaw, F. C., Jr.**  
Some Sheet and Bucket Materials for Jet-Engine Application at 1600 F and Higher—Summary of Proceedings of STP 174, 1058.
- DeSisto, Thomas S.**  
Automatic Impact Testing from Room Temperature to 236C—Summary of Proceedings of STP 176, 1061.
- Dietz, Albert G. H., and McGarry, E. J.**  
Effect of Speed in Plastics Testing—Summary of Proceedings of STP 185, 1226.
- Diefenderfer, H. H.**  
See Baumann, F. H., and Diefenderfer, H. H.
- Dietz, Albert G. H.**  
See Dorsey, J., McGarry, F. J., and Dietz, A. G. H.
- Dolan, T. J.**  
Discussion, 863, 979, 995.
- Dorey, D. B., and Schriever, W. R.**  
A Philosophy on Loading Tests. Published in ASTM BULLETIN, No. 214, May, 1956, 37, (TP95).
- Dorsey, James, McGarry, F. J. and Dietz, A. G. H.**  
High-Speed Tension Testing Machine for Plastics. Published in ASTM BULLETIN, No. 211, Jan., 1956, 34. (TP6).
- Driscoll, David E.**  
Reproducibility of Charpy Impact Testing—Summary of Proceedings of STP 176, 1061.
- Dyrkacz, W. W.**  
See Blatz, W. E., Reynolds, E. E., and Dyrkacz, W. W.
- E**
- Eller, S. A.**  
Stress Relaxation of Vulcanized Rubber in Compression and Tension. Published in ASTM BULLETIN, No. 207, July, 78 (TP150). Disc., 86 (TP158).
- Eller, S. A., and Gondek, W. K.**  
A Laboratory Grinding Machine for Preparing Test Specimens From Rubber and

- Other Flexible Products. Published in ASTM BULLETIN, No. 206, May, 70 (TP118).
- Ellinger, George A.**  
See Reinhart, Fred M., and Ellinger, George A.
- Enomoto, Nobusuke.**  
On Fatigue Tests Under Progressive Stress, 903.
- Ericson, Gosta.**  
See Liander, Halvard, and Ericson, Gosta.
- F**
- Fieldner, A. C.**  
50 Years of Coal and Coke Activity in ASTM. Published in ASTM BULLETIN, No. 204, Feb., 16.
- Findley, W. N., and Mathur, P. N.**  
Anisotropy of Fatigue Strength of a Steel and Two Aluminum Alloys in Bending and in Torsion, 924. Disc., 939.
- Finkelday, W. H.**  
Introduction—Summary of Proceedings of STP 175, 1060.
- FitzGerald, E. B.**  
Photooxidative Degradation of Alkyd Films. Published in ASTM BULLETIN, No. 207, July, 65 (TP137).
- Foreman, R. W.**  
Influence of Composition on Measured Motor Oil Viscosity at 0 F. Published in ASTM BULLETIN, No. 209, Oct., 44, (TP198).
- Forscher, Frederick.**  
The Yield Rate of Mild Steel. Published in ASTM BULLETIN, No. 205, April, 63 (TP89).
- Frankel, Henry E.**  
Discussion, 889.
- Frankel, H. E., and Bennett, J. A.**  
Understressing as a Means of Eliminating the Damaging Effect of Fatigue Stressing, 891. Disc., 900.
- Freeman, John R., Jr.**  
See Thompson, D. H., Tracy, A. W., and Freeman, John R., Jr.
- Freeman, J. W.**  
Introduction to Symposium on Panel on Pyrometry—Summary of Proceedings of STP 178, 1059.
- Freynik, H. S.**  
See Gohn, G. R., Guerard, J. P., and Freynik, H. S.
- Fricke, W. G., Jr.**  
See Hunter, M. S., and Fricke, W. G., Jr.
- Fromm, Marvin M.**  
A Test for High-Power D-C Arc Resistance of Electrical Insulating Materials. Published in ASTM BULLETIN, No. 207, July, 56 (TP128).
- Fulweiler, W. H.**  
50 Years of Committee D-7 on Wood. Published in ASTM BULLETIN, No. 206, May, 40.
- G**
- Garofalo, F., Smith, G. V., and Marsden, D. C.**  
Effect of Time and Temperature on Impact and Tensile Properties of Hot-Rolled Low-Carbon Steels During Strain-Aging, 708.
- Gerard, George.**  
The Impact Tube. A New Experimental Technique for Applying Impulse Loads—Summary of Proceedings of STP 176, 1061.
- Getty, Raymond, McCready, W., and Stericker, William.**  
• Silicates as Corrosion Inhibitors in Synthetic Detergent Mixtures. Published in ASTM BULLETIN, No. 205, April, 50 (TP76).
- Gilman, J. J.**  
The Role of Thin Surface Films in the Deformation of Metal Monocrystals—Summary of Proceedings of STP 171, 1227.
- Glaser, F. W.**  
See Pfaffinger, K., Blumenthal, H., and Glaser, F. W.
- Gleiser, M., Larsen, W. L., Speiser, R., and Spretnak, J. W.**  
The properties of Oxidation-Resistant Scales Formed on Molybdenum-Base Alloys at Elevated Temperatures—Summary of Proceedings of STP 171, 1227.
- Goetzel, Claus, G.**  
See Skolnick, Leonard P., and Goetzel, Claus G.
- Gohn, G. R.**  
A Hardness Conversion Table for Copper-Beryllium Alloy Strip, 230. Disc. 240. Discussion, 901.
- Gohn, G. R., Guerard, J. P., and Freynik, H. S.**  
The Mechanical Properties of Wrought Phosphor Bronze Alloys—Summary of Proceedings of STP 183, 190.
- Goldberg, Irving.**  
Discussion, 1217.
- Gondek, W. K.**  
See Eller, S. A., and Gondek, W. K.

- Gooding, R. M., and Cleaton, Robetta, B.**  
The Precision of Fuel Rating, 1947 to 1953.  
Published in ASTM BULLETIN, No. 203,  
Jan., 51 (TP11).

**Gramlich, C.**

See Verbeck, G., and Gramlich, C. N. C.

**Grant, Nicholas J.**

See Bucklin, Albert G., and Grant, Nicholas J.

**Green, A. W. F.**

Specifications From the Consumer Viewpoint.  
Published in ASTM BULLETIN, No. 203,  
Jan., 43 (TP3).

**Green, Ralph, E.**

Effect of Speed of Testing on Tensile Strength  
and Elongation of Paper—Summary of  
Proceedings of STP 185, 1226.

**Griffin, Donald F.**

The Relationship Between Water Content and  
The Accuracy with Which In-Place Densi-  
ties of Lands May Be Measured. Published  
in ASTM BULLETIN, No. 212, Feb., 1956,  
59 (TP39).

**Grube, W. L., and Koistinen, D. P.**

X-ray Diffraction Measurement of Phase Com-  
position—Sub-committee XI on Plain  
Carbon Steel Tempered Martensite Series,  
626.

**Guarnieri, G. J.**

See Yerkovich, L. A., and Guarnieri, G. J.

**Guerard, J. P.**

See Gohn, G. R., Guerard, J. P., and Freynik,  
H. S.

**Gulbrandsen, E. A., and Andrew, K. F.**

Effect of Strain on the Oxidation of Nickel-  
Chromium Heater Alloys—Summary of  
Proceedings of STP 171, 1227.

## H

**Hager, R. W.**

Shock Testing with the Rocket-Powered  
Pendulum—Summary of Proceedings of  
STP 176, 1061.

**Hall, A. M.**

See Mangone, R. J., Burgan, D. D., and Hall,  
A. M.

**Hamburger, Walter J.**

A Technology for the Analysis, Design, and  
Use of Textile Structures as Engineering  
Materials—Marburg Lecture, see Summary  
of Proceedings, 26 (issued as separate  
pamphlet).

**Hamrick, J. J., Jr.**

The Rapid Determination of Paper Moisture  
Contents in Business Offices for Duplica-  
tion in Environmental Chambers. Pub-

lished in ASTM BULLETIN, No. 210, Dec.,  
39 (TP215).

**Hanna, W. C.**

Discussion. Published in ASTM BULLETIN,  
No. 205, April, 45 (TP71); No. 209, Oct.,  
30 (TP184).

**Hansen, W. C.**

Discussion. Published in ASTM BULLETIN,  
No. 205, Apr., 44 (TP70).

**Harris, J. C., Stericker, W., and Spring, S.**

Suggested Guide to Laboratory Metal Clean-  
ing. Published in ASTM BULLETIN, No.  
204, Feb., 31 (TP33).

**Hartbower, Carl E.**

Transition Behavior in V-Notch Charpy  
Slow-Bend Tests—Summary of Proceedings  
of STP 176, 1061.  
Discussion, 823, 995.

**Hentschel, Kurt.**

Simplification of Yarn Numbering. Pub-  
lished in ASTM BULLETIN, No. 206, May,  
44.

**Herron, Lewis F.**

Discussion. Published in ASTM BULLETIN,  
No. 203, Jan. 72 (TP32).

**Hiers, George E., and Minarcik, Elbert J.**

The Use of Lead and Tin Outdoors—Sum-  
mary of Proceedings of STP 175, 1060.

**Hime, W. G., and Willis, R. A.**

A Method for the Determination of the Ce-  
ment Content of Plastic Concrete. Pub-  
lished in ASTM BULLETIN, No. 209, Oct.,  
37 (TP191).

**Holtz, W. G.**

Discussion, 1217.

**Horowitz, Emanuel, and Connor, William S.**

Variability of Wool Content in Part Wool  
Blankets. Published in ASTM BULLETIN,  
No. 208, Sept., 42 (TP168).

**Howell, F. M., and Miller, J. L.**

Axial-Stress Fatigue Strengths of Several  
Structural Aluminum Alloys, 955.

**Hoyt, S. L.**

Notched-Bar Testing—Theory and Practice  
—Summary of Proceedings of STP 176,  
1061.

**Hu, L. W.**

See Paxson, E., Marin, J., and Hu, L. W.

**Hubbard, B. R.**

Discussion, 731.

**Hunter, M. S., and Fricke, W. G., Jr.**

Effect of Alloy Content on the Metallographic  
Changes Accompanying Fatigue, 942. Disc.,  
954.

**Hunter, Thomas A.**

Thermal Shock Testing of High-Temperature Metallic Materials—Summary of Proceedings of *STP 174*, 1058.

**Huntley, H. W., and Untermyer, S.**

The Use of Water in Atomic Reactors—Summary of Proceedings of *STP 179*, 1224.

**I****Irving, R., and Bravey, D. W.**

The Evaluation of Inhibited Transformer—Summary of Proceedings of *STP 172*, 1225.

**Irwin, L. K.**

See Ramberg W. and Irwin, L. K.

**J****Jaffee, R. I.**

See Bruckart, W. L., and Jaffee, R. I.

**Jahnke, L. P.**

See Denny, J. P., Jahnke, L. P., Jones, E. S., and Robertshaw, F. C., Jr.

**Jones, E. S.**

See Denny, J. P., Jahnke, L. P., Jones, E. S., and Robertshaw, F. C., Jr.

**Jones, M. H., and Brown, W. F., Jr.**

An Axial Loading Creep Machine. Published in *ASTM BULLETIN*, No. 211, Jan., 53 (TP25).

**K****Karpoff, K. P.**

The Use of Laboratory Tests to Develop Design Criteria for Protective Filters, 1183.

**Kattus, J. R.**

Effect of Temperatures on the Properties of Metals. Published in *ASTM BULLETIN*, No. 204, Feb., 8.  
Discussion, 707.

**Kaufman, J. G., and D'Appolonia, E.**

Torsion Prestrain and the Fatigue Strength of RC-55 Titanium Alloy, 999. Disc., 1013.

**Keith, R. E., Siebert, C. A., and Sinnott, M. J.**

An Investigation of Intergranular Oxidation in Type 310 Stainless Steel—Summary of Proceedings of *STP 171*, 1227.

**Kidder, A. H.**

Discussion, 731, 823.

**King, William.**

See Walton, C. J., and King, William.

**Koistinen, D. P.**

See Grube, W. L., and Koistinen, D. P.

**Krivobok, V. N.**

Introduction to Symposium on Metallic Materials for Service at Temperatures

Above 1600 F—Summary of Proceedings of *STP 174*, 1058.

**L****Lamb, D. R.**

Discussion, 1217.

**Lamb, John J.**

See Reinhart, Frank W., Brown, Catherine, Boor, Ladislov, and Lamb, John J.

**Lane, Joseph R.**

See Shahinian, Paul, and Lane, Joseph R.

**Lane, J. R.**

See Breen, J. E., and Lane, J. R.

**Lardge, H. E.**

Thermal Fatigue Testing of Sheet Metal—Summary of Proceedings of *STP 174*, 1058.  
Discussion, 888.

**Larsen, W. L.**

See Gleiser, M., Larsen, W. L., Speiser, R., and Spretnak, J. W.

**Lazan, B. J.**

See Vitovec, F. H., and Lazan, B. J.  
Discussion, 979, 1913.

**Lazar, L. S.**

Discussion, 863.

**Legget, R. F.**

Introduction—Summary of Proceedings of the Discussion on Judgment Factors in Soils Testing, 5.

**Lem, David R., and Reynar, J. M.**

Stress Relaxation of Nonmetallic Gasket Materials. Published in *ASTM BULLETIN*, No. 207, July, 81 (TP153).

**Lenel, F. V.**

Powder Metallurgy—Now (New Techniques, Improved Properties, Wider Use), 655 (R).

**Lequear, H. A., and Lubahn, J. D.**

Certain Departures From Plastic Ideality at Large Strains, 824.

Effect of Strain—Rate History on the Creep Behavior of an Alloy Steel at 800 F., 719.

**Lester, H. H.**

Materials Research in ASTM. Published in *ASTM BULLETIN*, No. 207, July, 39.  
ACR Notes—The Unsolved Problems Project. Published in *ASTM BULLETIN*, No. 208, Sept., 22.

**Levy, J. C., and Sinclair, G. M.**

An Investigation of Strain Aging in Fatigue, 866. Disc., 888.

**Levy, J. C.**

Discussion, 901.

**Leyda, W. E.**

Summary of Pyrometric Procedure Employed By One Company in Creep-Rupture Testing and an Analysis of Results Obtained—Summary of Proceedings of *STP 178*, 1059.

**Li, Chou Hsiung**

Additional Monographs for Significance Tests. Published in *ASTM BULLETIN*, No. 205, Apr., 46 (TP72).

**Linder, Halvard, and Ericson, Gosta.**

Catalysts For Accelerated Aging Testing of Transformer Oil—Summary of Proceedings of *STP 172*, 1225.

**Lindner, C. P., and Sprague, J. C.**

Effect of Depth of Beam Upon The Modulus of Rupture of Plain Concrete, 1062. Disc., 1081.

**Lipson, S., Sala, A., and Rosenthal, H.**

Gravimeter for Rapid Density Measurement of Solids. Published in *ASTM BULLETIN*, No. 205, Apr., 60 (TP86).

**Liska, J. A.**

See Markwardt, L. J., and Liska, J. A.

**Lubahn, J. D.**

See Lequear, H. A., and Lubahn, J. D.

**M****Mandel, John, and Stiehler, Robert D.**

Statistics—A Tool in Testing Rubber. Published in *ASTM BULLETIN*, No. 204, Feb., 44 (TP46).

See Reinhart, Frank W., and Mandel, John.  
See Decker, G. E., and Mandel, J.

**Mangone, R. J., Burgan, D. D., and Hall, A. M.**

An Investigation of the 21 Per Cent Chromium-10 Per Cent Nickel Heat-Resistant Casting Alloy, 765.

**Manjoine, M. J.**

Discussion, 755.

**Manson, S. S., and Succop, G.**

Stress-Rupture Properties of Inconel 700 and Correlation on the Basis of Several Time-Temperature Parameters—Summary of Proceedings of *STP 174*, 1058.

**Manson, S. S.**

Discussion, 764.

**Marble, J. D.**

Discussion, 996.

**Marin, J.**

See Paxson, E., Marin, J., and Hu, L. W.  
Discussion, 1042.

**Markwardt, L. J., and Liska, J. A.**

The Influence of Rate of Loading on the Strength of Wood and Wood-Base Materials—Summary of Proceedings of *STP 185*, 1226.

**Marsden, D. C.**

See Garofalo, F., Smith, G. V., and Marsden, D. C.

**Marshall, D. I.**

Measuring Viscosity of Thermosetting Resins by Parallel Plate Plastometry. Published in *ASTM BULLETIN*, No. 204, Feb., 40 (TP42).

**Marshall, E. R.**

See Powell, G. W., Marshall, E. R., and Backofen, W. A.

**Martin, D. L.**

See Berry, J. M., and Martin, D. L.

**Mathur, P. N.**

See Findley, W. N., and Mathur, P. N.  
Discussion, 1129.

**Mason, Harold G.**

Discussion, 1217.

**McCrackin, Frank L.**

See Schiefer, Herbert F., Smith, Jack, McCrackin, Frank, L., and Stone, Walter K.

**McCready, Newton W.**

See Getty, Raymond, McCready, Newton W., and Stericker, W.

**McGarry, Frederick J.**

See Dorsey, J., McGarry, F. J. and Dietz, A. G. H.

**McHenry, Douglas.**

See Shideler, J. J., and McHenry, Douglas.

**McMaster, W. D.**

The Five Per Cent Salt Spray Test and Its Acetic Acid Modification. Published in *ASTM BULLETIN*, No. 203, Jan., 62 (TP22).

**McWhirter, Max.**

See Cross, W. H., and McWhirter, Max.

**Mendizsa, A.**

See Compton, K. G., and Mendizsa, A.

**Menzel, Carl A.**

A Method For Determining the Moisture Condition of Hardened Concrete in Terms of Relative Humidity, 1085. Disc., 1109.

**Miller, J. L.**

See Howell, F. M., and Miller, J. L.

**Minarcik, Elbert J.**

See Hiers, George E., and Minarcik, Elbert J.

**Mochel, Norman L.**

What Is It? Published in *ASTM BULLETIN*, No. 207, July, 53 (TP125).



**Monego, Constantin J.**

Use of the Schlieren Technique to Study Thermal Insulating Properties. Published in *ASTM BULLETIN*, No. 208, Sept., 33 (TP159).

**N****Nevers, Ashley D.**

Preparation of Controlled Odorous Atmospheres for Olfactory Research. Published in *ASTM BULLETIN*, No. 208, Sept., 45 (TP171).

**O****O'Sullivan, W. J.**

Some Thermal and Mechanical Properties of Inconel at High Temperatures for Use in Aerodynamic Heating Research, 757. Disc., 764.

**Otte, Henry M.**

A Simple Analysis of Small Spherical Permanent Indentation in Metals, 1043.

**Owens, J. J.**

See Blaser, R. H., and Owens, J. J.

**P****Painter, R. J.**

What Standards Mean to Us. Published in *ASTM BULLETIN*, No. 203, Jan., 41 (TP1).

**Paxson, E., Marin, Joseph, and Hu, L. W.**

Mechanical Properties of a Magnesium Alloy Under Biaxial Tension at Low Temperatures, 810. Disc., 823.

**Pellier, L. Delisle, and Rowe, F. G.**

Discussion, 611.

**Peterson, R. E.**

Discussion, 888, 940, 954.

**Pfaffinger, K., Blumenthal, H., and Glaser, F. W.**

Titanium-Carbide-Base Cermets for High-Temperature Service—Summary of Proceedings of *STP 174*, 1058.

**Pizer, R. S.**

See Roberts, A. G., Crouse, W. A., and Pizer, R. S.

**Pocock, B. W.**

Measuring Traffic Paint Abrasion with Beta Rays. Published in *ASTM BULLETIN*, No. 206, May, 55 (TP103).

**Powell, G. W., Marshall, E. R., and Backofen, W. A.**

A Diameter Gage and Dynamometer for True Stress-Strain Tension Tests at Constant True Strain Rate, 797.

**Powers, T. C.**

Basic Considerations Pertaining to Freezing-and-Thawing Tests, 1132.

**Pusey, B. B., Carey, R. H.**

The Effects of Time, Temperature, and Environment on the Mechanical Properties of Polyester-Glass Laminates. Published in *ASTM BULLETIN*, No. 204, Feb., 54 (TP56).

**R****Radavich, J. F.**

Oxidation at Elevated Temperatures—Summary of Proceedings of *STP 171*, 1227.

Structure of Oxides Formed on High-Temperature Alloys at 1500 F—Summary of Proceedings of *STP 171*, 1227.

**Rakszawski, J. F.**

See Walker, P. L., Jr., Rakszawski, J. F., and Armington, A. F.

**Ramberg, W., and Irwin, L. K.**

Longitudinal Impact Tests of Long Bars with a Slingshot Machine—Summary of Proceedings of *STP 176*, 1061.

**Ransom, J. T.**

Discussion, 901, 968.

**Reese, L. C., and Seed, H. B.**

Pressure Distribution along Friction Piles, 1156.

**Reineck, E. A.**

See Brown, Lloyd H., and Reineck, E. A.

**Reinhart, Frank W., and Mandel, John, J. L.**

Comparison of Methods for Measuring the Tensile and Tear Properties of Plastic Films. Published in *ASTM BULLETIN*, No. 209, Oct., 50 (TP204).

**Reinhart, Frank W., Brown, Catherine, Boor, Ladislav, and Lamb, John J. L.**

Evaluation of the Boor-Quartermaster Snag Tester for Coated Fabrics and Plastic Films. Published in *ASTM BULLETIN*, No. 210, Dec., 50 (TP226).

**Reinhart, Fred M., and Ellinger, George A.**

Effect of 20-Year Marine Atmosphere Exposure on Some Aluminum Alloys—Summary of Proceedings of *STP 175*, 1060.

**Reynar, John M.**

See Lem, David R., and Reynor, J. M.

**Reynolds, E. E.**

See Blatz, W. E., Reynolds, E. E., and Dyrkacz, W. W.

**Richards, J. T.**

Discussion, 244.

**Ridenour, W. P., and Bowman, John R.**

Effect of Streamlining on Stresses in the Perkins Tensile Strength Briquet for Refined Paraffin Waxes. Published in *ASTM BULLETIN*, No. 208, Sept., 48 (TP174).



**Ritland, H. N.**

The Effect of Speed of Testing on Glass—Summary of Proceedings of *STP 185*, 1226.

**Roberts, A. G., Crouse, W. A., and Plzer, R. S.**

Abrasive Jet Method for Measuring Abrasion Resistance of Organic Coatings. Published in *ASTM BULLETIN*, No. 208, Sept., 36 (TP162).

**Rosenthal, H.**

See Lipson, S., Saia, A., and Rosenthal, H.

**Ross, S. T.**

See Teague, D. M., and Ross, S. T.

**Robertshaw, F. C., Jr.**

See Denny, J. P., Jahnke, L. P., Jones, E. S., and Robertshaw, F. C., Jr.

**Roebuck, A. H.**

Effect of Material Composition in High-Temperature Water Corrosion—Summary of Proceedings of *STP 179*, 1224.

**Rowe, F. G.**

See Pellier, L., Delisle, and Rowe, F. G.

**Rugger, George R.**

Preliminary Data Obtained in Constant Strain Rate Tests—Summary of Proceedings of *STP 185*, 1226.

**Ryerson, Edward L.**

America's Industrial Beginnings Commemorated in Restoration at Saugus, Massachusetts. Published in *ASTM BULLETIN*, No. 204, Feb., 25.

**S****Saia, A.**

See Lipson, S., Saia, A., and Rosenthal, H.

**Salomon, T.**

The Performance Characteristics of Used Insulating Oil—Summary of Proceedings of *STP 172*, 1225.

**Sangdahl, G. S., Jr., and Baldwin, W. M., Jr.**

Strength of Bent Copper Tube, 1021. Disc., 1941.

**Saur, Roger L.**

Photochemical Degradation of Automobile Lacquers. Published in *ASTM BULLETIN*, No. 207, July, 61 (TP133).

**Schaefer, A. O.**

A Producer Looks at Standards. Published in *ASTM BULLETIN*, No. 203, Jan. 45 (TP5).

**Chapiro, Leo.**

Discussion, 1041.

**Schliefer, Herbert F., Smith, Jack, McCrackin, Frank, L., and Stone, Walter K.**

Stress-Strain Relationships in Yarns Subjected to Rapid Impact Loading—Summary of Proceedings of *STP 185*, 1226.

**Scholer, C. H.**

Discussion, 1081.

**Schriever, W. R.**

See Dorey, D. B., and Schriever, W. R.

**Schuette, E. H.**

Discussion, 940, 995.

**Schwartz, C. M.**

See Austin, A. E., and Schwartz, C. M. Discussion, 609.

**Scott, D. C., and Villars, D. S.**

Effect of Speed of Testing on Tensile Test of Elastomers and Hard Rubber—Summary of Proceedings of *STP 185*, 1226.

**Seamon, James M.**

See Woughton, Donald M., Seamon, James M., and Brown, Paul E.

**Seed, H. B.**

See Reese, L. C., and Seed, H. B.

**Shahinian, Paul, and Lane, Joseph R.**

Effect of Specimen Dimensions on High-Temperature Mechanical Properties, 724. Disc., 731.

**Shideler, J. J., and McHenry, Douglas.**

Effect of Speed in Mechanical Testing of Concrete—Summary of Proceedings of *STP 185*, 1226.

**Sidebottom, O. M.**

See Clark, M. E., and Sidebottom, O. M. Discussion. Published in *ASTM BULLETIN*, No. 203, Jan., 72 (TP32).

**Siebert, C. A.**

See Keith, R. E., Siebert, C. A., and Sinnott, M. J.

**Siemen, S. E.**

Method for Determining the Squareness of Charpy V-Notch Test Specimen and Other Square or Parallel Bars. Published in *ASTM BULLETIN*, No. 205, Apr., 34.

**Sinclair, G. M.**

See Levy, J. C., and Sinclair, G. M. Discussion, 900.

**Sinnott, M. J.**

See Demmler, A. W., Jr., Sinnott, M. J., and Thomassen, L.  
See Keith, R. E., Siebert, C. A., and Sinnott, M. J.

**Skinner, E. N.**

Discussion, 764.

**Skolnick, Leonard P., and Goetzel, Claus G.**  
Titanium-Carbide Products Produced by the  
Infiltration Technique—Summary of Pro-  
ceedings of *STP 174*, 1058.

**Smith, C. R.**  
Discussion, 888, 979, 1013.

**Smith, G. V.**  
See Garofalo, F., Smith, G. V., and Marsden,  
D. C.

**Smith, Jack**  
See Schiefer, Herbert F., Smith, Jack, Mc-  
Crackin, Frank L., and Stone, Walter K.

**Smith, R. A.**  
See Betteridge, W., and Smith R. A.

**Sowers, George F.**  
Discussion, 1217.

**Spooner, N. F., Thomas, J. M., and Tho-  
massen, L.**  
An Alloy Evaluation Test for Carburization  
Resistance, 793.

**Sprague, J. C.**  
See Lindner, C. P., and Sprague, J. C.

**Spretnak, J. W.**  
See Gleiser, M., Larsen, W. L., Speiser, R.,  
and Spretnak, J. W.

**Spring, S.**  
See Harris, J. C., Stericker, W., and Spring, S.

**Staugaltis, C. L., and Burnett, H. C.**  
The Behavior of Long Helical Springs Under  
Fluctuating Load, 918.

**Stericker, William.**  
See Getty, Raymond, McCready, Newton,  
W., and Stericker, William.  
See Harris, J. C., Stericker, W., and Spring, S.

**Stickney, F. S.**  
Discussion, 240.

**Stiehler, Robert D.**  
See Mandel, John, and Stiehler, Robert D.

**Stone, Walter K.**  
See Schiefer, Herbert F., Smith, Jack, Mc-  
Crackin, Frank, L., and Stone, Walter K.

**Succop, G.**  
See Manson, S. S., and Succop, G.

**Swayze, Myron A.**  
The Testing of Cements for Inherent Strength.  
Published in *ASTM BULLETIN*, No. 209,  
Oct., 27 (TP181). Disc. 30.  
Discussion. Published in *ASTM BULLETIN*,  
No. 205, Apr., 44 (TP70).

## T

**Tallis, W. G.**  
See Ward, E. D., and Tallis, W. G.

**Tarasov, L. P.**  
Discussion, 993.

**Teague, D. M., and Ross, S. T.**  
Electron Microstructures of Bainite and Tem-  
pered Martensite in Steel, 590. Disc., 609.

**Teeple, H. O.**  
Atmospheric Galvanic Corrosion of Dissimilar  
Metal Couples—Summary of Proceedings  
of *STP 175*, 1060.

**Thomas, J. M.**  
See Spooner, N. F., Thomas, J. M., and  
Thomassen, L.

**Thomas, John M., and Carlson, John F.**  
Errors in Deformation Measurements for  
Elevated-Temperature Tension Tests. Pub-  
lished in *ASTM BULLETIN*, No. 206, May,  
47 (TP95).

**Thomassen, L.**  
See Demmler, A. W., Jr., and Sinnott, M. J.,  
and Thomassen, L.  
See Spooner, N. F., Thomas, J. M., and Tho-  
massen, L.

**Thompson, D. H., Tracy, A. W., and Free-  
man, John R., Jr.**  
The Atmospheric Corrosion of Copper. Results  
of 20-Year Tests—Summary of Proceed-  
ings of *STP 175*, 1060.

**Thorn, F. C.**  
Sealability or Gasketing Materials on Smooth  
and Wavy Flanges. Published in *ASTM  
BULLETIN*, No. 210, Dec., 43 (TP219).

**Toolin, P. R.**  
Discussion, 888, 1013.

**Tracy, A. W.**  
Effect of Natural Atmospheres on Copper.  
Copper: 20-Year Test—Summary of Pro-  
ceedings of *STP 175*, 1060.  
See Thompson, D. H., Tracy, A. W., and  
Freeman, John R., Jr.

**Trescony, Louis J.**  
Discussion, 1217.

## U

**Untermyer, S.**  
See Huntley, H. W., and Untermyer, S.

## V

**Verbeck, G., and Gramlich, C.**  
Osmotic Studies and Hypothesis Concerning  
Alkali-Aggregate Reaction, 1110. Disc., 1129.

**Villars, D. S.**  
See Scott, D. C., and Villars, D. S.

**Vitovec, F. H., and Lazan, B. J.**  
Creep, Rupture, and Notch Sensitivity  
Properties of S-816 Alloy up to 1650 F Un-

- der Fatigue and Static Stress—Summary of Proceedings of *STP 174*, 1058.
- Strength, Damping, and Elasticity of Materials Under Increasing Reversed Stress With Reference to Accelerated Fatigue Testing, 844 (R). Disc., 863.
- W**
- Walker, P. L., Jr., Rakszawski, J. F., and Armington, A. F.**  
Distinguishing Between Graphitic and Amorphous Carbon. Published in *ASTM BULLETIN*, No. 208, Sept., 52 (TP178).
- Walton, C. J., and King, William.**  
Resistance of Aluminum-Base Alloys to 20-Year Atmospheric Exposure—Summary of Proceedings of *STP 175*, 1060.
- Ward, E. D., and Tallis, W. G.**  
Tension and Torsion Tests on Nimonic Alloys at High Temperatures—Summary of Proceedings of *STP 174*, 1058.
- Wardley, D. McMaster.**  
The Five Per Cent Salt Spray Test and Its Acetic Acid Modification. Published in *ASTM BULLETIN*, No. 203, Jan., 62 (TP22).
- Watstein, D.**  
Properties of Concrete at High Rates of Loading—Summary of Proceedings of *STP 176*, 1061.
- Watts, C. R.**  
Material Standards and the Department of Defense. Published in *ASTM BULLETIN*, No. 203, Jan., 47 (TP7).
- Weber, M. K.**  
Microscopic Examination of Glass Fiber Reinforced Plastics, Published in *ASTM BULLETIN*, No. 208, Sept., 49 (TP175).
- Wessel, E. T.**  
Tension Testing Apparatus for The Temperature Range of 320 F to 452 F. Published in *ASTM BULLETIN*, No. 211, Jan., 1956, 40 (TP12).
- Wilder, A. B.**  
Discussion, 888.
- Wilks, C. R.**  
Creep and Rupture Test Pyrometry—Summary of Proceedings of *STP 178*, 1059.
- William, G. E.**  
See Buist, J. M., and William, G. E.
- Willis, R. A.**  
See Hime, W. G., and Willis, R. A.
- Wilson, J. C.**  
See Berggren, R. G., and Wilson, J. A.
- Wilson, J. C., and Berggren, R. G.**  
Effects of Neutron Irradiation in Steel, 689. Disc., 707.
- Winterton, K.**  
Discussion, 863, 888.
- Woods, K. B.**  
Future Possibilities and Activities of Committee D-18—Summary of Proceedings of the Discussion on Judgment Factors in Soils Testing, 5.
- Woughton, Donald M., Seamon, James M., and Brown, Paul E.**  
Influence of Water Composition on Corrosion in High-Temperature High-Purity Water—Summary of Proceedings of *STP 179*, 1224.
- Y**
- Yerkovich, L. A., and Guarnieri, G. J.**  
Compression-Creep Properties of Several Metallic and Cermet Materials at High Temperatures, 732. Disc., 755.
- Z**
- Zeno, R. S.**  
Effect of Specimen Width on the Notched Bar Impact Properties of Quenched- and Tempered and Normalized Steels—Summary of Proceedings of *STP 176*, 1051.

# SUBJECT INDEX

VOLUME 55

## A

- Abrasion Resistance
  - organic coatings
    - abrasive jet method (Roberts, Crouse, and Pizer). Published in ASTM BULLETIN, No. 208, Sept., 36 (TP162).
- Acetate
  - Report of Comm. D-13, 508.
- Acoustical Materials
  - Report of Comm. C-20, 422.
- Adhesives
  - Report of Comm. D-14, 518.
- Aggregates
  - alkali-aggregate reaction (Brown). Published in ASTM BULLETIN, No. 205, April, p. 40 (TP66). Disc., 44 (TP70).
  - concrete
    - Report of Comm. C-9, 399.
- Aluminum
  - coatings
    - Report of Comm. B-7, 252.
  - conductors
    - Report of Comm. B-1, 274.
  - corrosion (Adam), 284
- Annual Meeting
  - Report of Board of Directors, 45.
  - Report of Comm. B-1, 174.
  - Report of Comm. B-7, 252.
  - Summary of Proceedings of Fifty-eighth Annual Meeting, 1.
- Antifreezes
  - Report of Comm. D-15, 522.
- Appearance
  - Report of Comm. E-12, 652.
- Aromatic Hydrocarbons
  - Report of Comm. D-16, 524.
- Asbestos
  - Report of Comm. D-13, 508.
- Asbestos-Cement Products
  - Report of Comm. C-17, 419.
- Asphalt
  - penetration test
    - field reproducibility (Corbett). Published in ASTM BULLETIN, No. 206, May, 63 (TP111).
    - Report of Comm. D-4, 465.
    - Report of Comm. D-8, 485.
- Atmospheric Analysis
  - Report of Comm. D-22, 569.
- Atmospheric exposure testing
  - Report of Comm. A-5, 124, 149.
- Awards of Merit
  - Summary of Proceedings of Fifty-Eighth Annual Meeting, 7.

## B

- Bast and Leaf Fibers
  - Report of Comm. D-13, 508.
- Benzene, Toluene, Ethylbenzene, Xylenes
  - infrared spectrophotometry test
    - proposed standards, published in ASTM D-2 Compilation, 925.
- Bituminous Materials
  - Report of Comm. D-4, 465.
  - Report of Comm. D-8, 485.
  - water
    - proposed standards, published in ASTM D-2 Compilation, 50-A.
- Board of Directors
  - Report of Board of Directors, 45.
- Boiling Nitric Acid Test
  - steel, corrosion-resistant
    - acid contamination (Bendure). Published in ASTM BULLETIN, No. 207, July, 76 (TP148).
- Bonded Materials
  - ultrasonic testing (Baumeister). Published in ASTM BULLETIN, No. 204, Feb., 50 (TP52).
- Boor-Quartermaster Snag Tester
  - coated fabrics and plastic films (Reinhart, Brown, Boor, and Lamb). Published in ASTM BULLETIN, No. 210, Dec., 50 (TP226).
- Brass
  - Report of Comm. B-5, 190, 193.
- Brick
  - fire
    - Report of Comm. C-8, 392, 397.
    - Report of Comm. C-15, 413.
- Bronze
  - Report of Comm. B-5, 190, 193.
  - wrought phosphor bronze (Gohn, Guerard and, Freynik), 190.
- Building Constructions
  - loading tests (Dorey and Schrieve). Published in ASTM BULLETIN, No. 214, May, 37 (TP95).
  - Report of Comm. E-6, 646.

## C

- Cable
  - Report of Comm. B-1, 174.
- Carbon
  - graphitic and amorphous (Walker, Rakszawski, and Armington). Published in ASTM BULLETIN, No. 208, Sept., 52 (TP178).

- Cast Iron
  - Report of Comm. A-3, 117.
  - Report of Comm. A-7, 154.
- Cellulose
  - degree of etherification
    - proposed method of test
      - Report of Comm. D-23, 575.
  - Report of Comm. D-23, 570.
  - viscosity
    - proposed method of test
      - Report of Comm. D-23, 573.
- Cement
  - asbestos products
    - Report of Comm. C-17, 419.
  - mortar
    - Report of Comm. C-1, 369.
  - rate of hydration (Copeland and Bragg).
    - Published in ASTM BULLETIN, No. 204, Feb., 34 (TP36).
  - Report of Comm. C-1, 360, 378.
  - testing for inherent strength (Swayze).
    - Published in ASTM BULLETIN, No. 209, Oct., 27 (TP181). Disc., 30 (TP184).
  - thermal insulating
    - Report of Comm. C-16, 416.
- Cemented Carbides
  - Report of Comm. B-9, 351.
- Ceramics
  - metal coatings
    - Report of Comm. C-22, 426.
- Cermets
  - compression-creep at high temperatures (Yerkovich and Guarnieri), 732. Disc., 755.
- Charpy V-Notch Specimen
  - squareness determination (Siemen).
    - Published in ASTM BULLETIN, No. 205, April, 34.
- Chemical Analysis
  - Report of Comm. E-2, 581.
  - Report of Comm. E-3, 585.
- Chemical Resistant Units
  - Report of Comm. C-15, 413.
- Coal
  - Report of Comm. D-5, 471.
- Coal and Coke
  - 50 year activity in ASTM (Fieldner).
    - Published in ASTM BULLETIN, No. 204, Feb., 16.
- Coatings, Organic
  - abrasion resistance
    - abrasive jet method (Roberts, Crouse, and Pizer).
      - Published in ASTM BULLETIN, No. 208, Sept., 36 (TP162).
  - anodic
    - Report of Comm. B-7, 252.
  - ceramic
    - Report of Comm. C-22, 426.
  - electrodeposited
    - Report of Comm. B-8, 312, 316.
  - metal
    - Report of Comm. A-5, 120.
  - protective
    - Report of Comm. C-16, 416.
  - supplementary
    - Report of Comm. B-8, 312.
- Coke
  - Report of Comm. D-5, 471.
- Color
  - Report of Comm. E-12, 652.
- Concrete
  - aggregates
    - Report of Comm. C-9, 399.
  - alkali-aggregate reaction (Verbeck and Gramlich), 1110. Disc., 1129.
  - freezing and thawing (Powers), 1132.
  - modulus of rupture (Lindner and Sprague), 1062. Disc., 1081.
  - moisture determination in terms of relative humidity (Menzel), 1085. Disc., 1109.
  - packaged, dry, combined materials
    - proposed specification, published in ASTM BULLETIN, No. 205, April, 28.
  - plastic
    - cement content determination (Hime and Willis).
      - Published in ASTM BULLETIN, No. 209, Oct., 37 (TP191).
  - ready mixed
    - uniformity of compressive strength tests (Bloem).
      - Published in ASTM BULLETIN, No. 206, May, 65 (TP113).
    - significance of tests (STP 169), 406.
    - volume changes (Anderegg and Anderegg).
      - Published in ASTM BULLETIN, No. 210, Dec., 60 (TP236).
- Concrete Masonry Units
  - Report of Comm. C-15, 413.
- Concrete Pipe
  - Report of Comm. C-13, 409.
- Conditioning
  - Report of Comm. E-1, 577.
- Conductors
  - Report of Comm. B-1, 174.
- Consistency
  - Report of Comm. E-1, 577.
- Constructions
  - sandwich
    - Report of Comm. C-19, 420.
- Contact Materials
  - Report of Comm. B-4, 187.
- Containers
  - Report of Comm. D-10, 494.
- Copper
  - calculation of tensile strength (Bohn), 199.
  - hardness conversion table (Gohn), 230. Disc., 240.
  - Report of Comm. B-2, 182.
  - Report of Comm. B-5, 190, 193.
  - wire
    - Report of Comm. B-1, 174.
- Copper-Base Alloys
  - classification of
    - proposed standards, published in ASTM B-5
      - Compilation, 599.
- Copper Tube
  - bending strength (Sangdahl and Baldwin), 1026. Disc., 1041.
- Corrosion
  - die casting
    - Report of Comm. B-6, 246.
  - electrodeposited coatings
    - Report of Comm. B-8, 312, 316.
  - galvanic
    - Report of Comm. B-3, 185.

- high purity water, Symposium Summary of proceedings of *STP 179*, 1224:  
carbon and low alloy steels (Blaser and Owens).
- high-temperature water corrosion (Roe-buck).
- influence of water composition (Woughton, Seamon and Brown).
- inhibitors  
silicates in synthetic detergents (Getty, McCready, and Stericker). Published in *ASTM BULLETIN*, No. 205, April, 50 (TP76).
- light metals (Adam), 284.
- non-ferrous metals  
Symposium. Summary of proceedings of *STP 175*, 1060:  
introduction (Finkelday).  
aluminum-base alloys (Walton and King).  
in marine exposure (Reinhart and Ellinger).  
atmospheric corrosion  
in copper (Thompson, Tracy, and Freeman).  
in lead and tin (Hiers and Minarick).  
in nickel alloys (Copson).  
in rolled zinc (Anderson).  
galvanic  
dissimilar metal couples (H. O. Teeple).  
threaded bolt and wire (Compton and Mendizza).  
natural atmospheres  
in copper (Tracy).  
report of Subcomm. VI (Copson).  
Report of Advisory Comm. on Corrosion, 354.  
Report of Comm. A-5, 120, 149.  
Report of Comm. B-3, 185.  
salt spray test, 5 per cent acetic acid (Mc-Master). Published in *ASTM BULLETIN*, No. 203, Jan., 62 (TP22).
- steel  
Report of Comm. A-10, 156, 160, 169.
- wire  
Report of Comm. A-5, 124.
- Cotton  
Report of Comm. D-13, 508.
- Crack Growth Testing  
variation between laboratories (Buist and Williams). Published in *ASTM BULLETIN*, No. 205, April, 35 (TP61).
- Creep  
alloy steel at 800 F  
strain-rate effect (Lequear and Lubahn), 719.  
axial loading machine (Jones and Brown). Published in *ASTM BULLETIN*, No. 211, Jan., 53 (TP25).
- Curing Rooms  
concrete test specimens (Carpenter). Published in *ASTM BULLETIN* No. 209, Oct., 33 (TP187).
- D**
- Densities of Sands, In-Place water content (Griffin). Published in *ASTM BULLETIN*, No. 212, Feb., 1956, 51 (TP39).
- Density of Solids  
gravitometer for rapid measurement (Lipson, Saia, and Rosenthal). Published in *ASTM BULLETIN*, No. 205, April, 60 (TP86).
- Detergents  
Report of Comm. D-12, 504.  
synthetic  
silicates as corrosion inhibitors (Getty, McCready, and Stericker). Published in *ASTM BULLETIN*, No. 205, April, 50 (TP76).
- Die Castings  
Report of Comm. B-6, 246.
- District Activities, Published in *ASTM BULLETIN*, No. 203, Jan., 29; No. 205, April, 9; No. 206, May, 30; No. 207, July, 44; No. 208, Sept., 19.  
Report of Administrative Comm. on District Activities, 86.
- E**
- Effective Gage Length  
tension at elevated temperature (Thomas and Carlson). Published in *ASTM BULLETIN*, No. 206, May, 47 (TP95).
- Electrical Insulating Materials  
D-C arc resistance (Fromm). Published in *ASTM BULLETIN*, No. 207, July, 56 (TP128).
- Electronics  
materials  
Report of Comm. B-4, 187.
- Emission Spectroscopy  
Report of Comm. E-2, 581.
- Enamel  
porcelain  
Report of Comm. C-22, 426, 429, 431.
- Extensometer  
remotely operated (Berggren and Wilson). Published in *ASTM BULLETIN*, No. 210, Dec., 35 (TP211).
- F**
- Fatigue  
aluminum (Howell and Miller), 955. Disc., 968.  
anodic coating (Bennett), 1015. Disc., 1020.  
helical springs under fluctuating load (Staugaitis and Burnett), 918.  
materials under increasing reversed stress strength, damping, and elasticity (Vitovec and Lazan), 844 (R). Disc., 863.  
metallographic changes (Hunter and Fricke), 942. Disc., 954.  
nonrigid plastics (Carey). Published in *ASTM BULLETIN*, No. 206, May, 52 (TP100).  
progressive stress (Enomoto), 903.  
Report of Comm. E-9, 649.  
steel and aluminum  
bending and torsion (Findley and Mathur), 924 (R). Disc., 939.  
strain aging (Levy and Sinclair), 866 (R). Disc., 888.  
titanium alloys (Demmler, Sinnott and Thomassen), 981. Disc., 993.  
torsion prestrain (Kaufman and D'Ap-polonia), 999. Disc., 1013.

under repeated load (Crum and D'Appolonia), 969. Disc., 979.  
understressing (Frankel and Bennett), 891 (R). Disc., 900.  
Fibers  
  Report of Comm. D-13, 508.  
Films, Alkyd  
  photooxidative degradation (FitzGerald).  
    Published in ASTM BULLETIN, No. 207,  
    July, 65 (TP137).  
Filter Block  
  clay  
    Report of Comm. C-15, 413.  
Finances  
  auditors' report, 62.  
Fire Tests  
  Report of Comm. E-5, 644.  
Fuel Oil  
  vanadium  
    proposed standards, published in ASTM  
    D-2 Compilation, 905  
Fuel Rating  
  precision (Gooding and Cleaton). Published  
  in ASTM BULLETIN, No. 203, Jan., 51  
  (TP11).

G

Gaseous Fuels  
  Report of Comm. D-3, 461.  
Gasket Material  
  nonmetallic  
    stress relaxation (Lem and Reynar). Pub-  
    lished in ASTM BULLETIN, No. 207, July,  
    81 (TP153). Disc., 85 (TP157).  
Gasoline  
  Report of Comm. D-2, 448.  
  tetraethyllead  
    proposed standards, published in ASTM  
    D-2 Compilation, 914.  
Gillett Lecture  
  powder metallurgy (Lenel), 655 (R).  
Glass Textiles  
  Report of Comm. D-13, 508.  
Gloss  
  Report of Comm. E-12, 652.  
Graphical Symbols  
  electrical diagrams. Published in ASTM  
  BULLETIN, No. 208, Sept., 26.  
Grease  
  lubricants  
    Report of Comm. D-2, 448.  
  lubricating  
    consistency  
      proposed standards, published in ASTM  
      D-2 Compilation, 918.  
    deleterious particles  
      proposed standards, published in ASTM  
      D-2 Compilation, 921.  
Gypsum  
  Report of Comm. C-11, 407.

H

Hardness  
  analysis of small spherical indentation (Otte),  
  1043.  
  conversion table  
    copper-beryllium alloy (Gohn), 230.

Hardness Testing  
  Report of Comm. E-1, 577.  
Hardware  
  corrosion  
    Report of Comm. A-5, 149.  
Heat-Resisting Alloys  
  21 per cent Cr, 10 per cent Ni casting alloy  
  (Mangone, Burgan and Hall), 765.  
Hecht Award. PUBLISHED IN ASTM BULLETIN,  
  No. 207, July, 21.  
Highway Materials  
  Report of Comm. D-4, 465.  
Hogentogler Award. PUBLISHED IN ASTM  
  BULLETIN, No. 207, July, 21.  
  Summary of Proceedings of Fifty-eighth  
  Annual Meeting, 5.  
Honorary Membership Awards  
  Summary of Proceedings of Fifty-eighth  
  Annual Meeting, 7.  
Hydrocarbons  
  aromatic  
    Report of Comm. D-16, 524.

I

Impact  
  low-carbon steels  
    time and temperature effect (Garofalo,  
    Smith, and Marsden), 708 (R).  
  Symposium on Impact Testing. Summary of  
  proceedings of STP 176, 1061:  
    automatic impact testing (DeSisto).  
    concrete (Watstein).  
    impact loading (Schiefer, Smith, McCrackin  
    and Stone).  
    impact tube (Gerard).  
    normalized carbon-manganese steels (Arm-  
    strong and Warner).  
    normalized nickel-steel, effects of man-  
    ganese and aluminum (Armstrong and  
    Miller).  
    notched-bar testing (Hoyt).  
    pendulum flexibilities influence (Bluhm).  
    reproducibility of Charpy impact (Driscoll).  
    rocket-powered pendulum (Hager).  
    shipping containers (Cross and McWhirter).  
    slingshot machine (Ramberg and Irwin).  
    specimen width effect (Zeno).  
    transition behavior, V-notch, slow-bend  
    (Hartbower).  
Insulating Materials  
  electrical  
    Report of Comm. D-9, 488.  
    Report of Comm. D-20, 554, 559.  
Insulating Oils  
  Symposium. Summary of proceedings of  
  STP, 172, 1225:  
    catalysts (Liander and Ericson).  
    inhibited transformer oils (Irving and  
    Bravey).  
    performance characteristics (Salomon).  
Insulating Properties  
  thermal  
    schlieren technique (Monego). Published  
    in ASTM BULLETIN, No. 208, Sept., 33  
    (TP159).  
International Relations  
  Report of Comm. on Standards, 75.



## L

- Lacquer
  - automobile
    - photochemical degradation (Sauer). Published in ASTM BULLETIN, No. 207, July, 61 (TP133).
- Report of Comm. D-1, 434.
- Laminates
  - polyester-glass
    - time, temperature, and environment effects (Pusey and Carey). Published in ASTM BULLETIN, No. 204, Feb., 54 (TP56).
- Lime
  - Report of Comm. C-7, 390.
- Liquid Petroleum Products
  - heat of combustion
    - proposed standards, published in ASTM D-2 Compilation, 910.
- Lubricants
  - multipurpose greases
    - oil separation (Calhoun). Published in ASTM BULLETIN, No. 210, Dec., 45 (TP21).
  - Report of Comm. D-2, 448.

## M

- Magnesium
  - corrosion (Adam), 284.
  - light metals and alloys
    - Report of Comm. B-7, 252.
  - mechanical properties
    - biaxial tension at low temperatures (Paxson, Marin and Hu), 810 (R). Disc., 823.
- Magnetic Particle Testing
  - Report of Comm. E-7, 647.
- Magnetic Properties
  - Report of Comm. A-6, 152.
- Malleable Iron
  - Report of Comm. A-7, 154.
- Marburg Lecture
  - textiles
    - technology for analysis, design and use (Hamburger). See Summary of Proceedings, 26 (issued as separate pamphlet).
- Max Hecht Award, Published in ASTM BULLETIN, No. 207, July, 21.
- Summary of Proceedings of Fifty-eighth Annual Meeting, 13.
- Meetings
  - 1955 Annual Meeting, Published in ASTM BULLETIN, No. 203, Jan., 19; No. 204, Feb., 7; No. 205, April, 5; No. 206, May, 5; No. 207, July, 5-39.
  - 1955 committee week, Published in ASTM BULLETIN, No. 204, Feb., 5, No. 211, Jan., 15; No. 205, Mar., 14.
  - 1956 committee week, Published in ASTM BULLETIN No. 210, Dec., 5; No. 213, April, 34.
  - District meetings, Published in ASTM BULLETIN, No. 203, Jan., 29; No. 205, April, 9; No. 206, May, 30; No. 207, July, 44; No. 208, Sept., 19.
  - provisional program, Published in ASTM BULLETIN, No. 206, May, 8.

- 1956 West Coast Meeting, Published in ASTM BULLETIN, No. 206, May, 27; No. 207, July, 43; No. 210, Dec., 6.
- Membership
  - Report of Board of Directors, 45.
- Metal Cleaning
  - Report of Comm. D-12, 504.
  - suggested guide (Harris, Stericker, and Spring). Published in ASTM BULLETIN, No. 204, Feb., 31 (TP33).
- Metal Powders
  - Report of Comm. B-9, 351.
- Metallography
  - decomposition of austenite and martensite (Austin and Schwartz), 623.
  - electron microstructures of bainite and martensite (Teague), 590. Disc., 609.
  - Report of Comm. E-4, 588.
  - X-ray diffraction measurement
    - phase composition (Grube and Koistinen), 626.
    - X-ray diffraction measurement retained austenite (Beu), 630.
- Metals and Alloys
  - non-ferrous
    - Report of Comm. B-3, 185.
- Metals, Light
  - Report of Comm. B-7, 252, 256.
- Mica
  - Report of Comm. D-9, 488.
- Moisture Content
  - paper in business offices (Hamrick). Published in ASTM BULLETIN, No. 210, Dec., 39 (TP215).
- Mortars
  - chemical-resistant
    - Report of Comm. C-3, 389.
  - portland cement
    - Report of Comm. C-1, 369.
  - resinous
    - shrinkage (Brown and Reineck). Published in ASTM BULLETIN, No. 205, April, 67 (TP93).
    - volume changes (Anderegg and Anderegg). Published in ASTM BULLETIN, No. 210, Dec., 60 (TP236).

## N

- Naval Stores
  - Report of Comm. D-17, 526, 533.
- Nickel and Nickel Alloys
  - Report of Comm. B-2, 182.
- Nomograph
  - significance tests (Li). Published in ASTM BULLETIN, No. 205, April, 46 (TP72).
- Non-Destructive Testing
  - Report of Comm. E-7, 647.

## O

- Odor
  - controlled atmospheres preparation (Nevers). Published in ASTM BULLETIN, No. 208, Sept., 45 (TP171).
- Oil
  - cutting
    - emulsion stability

- proposed standards, published in ASTM D-2 Compilation, 889.
- lubricating
  - galvanic corrosion
  - proposed standards, published in ASTM D-2 Compilation, 892.
- diesel locomotive lubricant
  - sampling for spectrographic analysis. Published in ASTM BULLETIN, No. 208, Sept., 24.
- motor
  - composition influence on viscosity (Foreman). Published in ASTM BULLETIN, No. 209, Oct., 44 (TP198).
- P**
- Packaging
  - Report of Comm. D-10, 494.
- Paint
  - automobile lacquers
    - photochemical degradation (Sauer). Published in ASTM BULLETIN, No. 207, July, 61 (TP133).
  - proposed methods. Report of Comm. D-1, 442, 445.
  - Report of Comm. D-1, 434.
- traffic
  - abrasion measurement with beta rays (Pocock). Published in ASTM BULLETIN, No. 206, May, 55 (TP103).
- traffic
  - no-dirt-retention time. (Baumann and Diefenderfer). Published in ASTM BULLETIN, No. 208, Sept., 32.
- volatility test
  - proposed method. Report of Comm. D-1, 442.
- Paper
  - chemicals
    - Report of Comm. D-17, 533.
    - Report of Comm. D-6, 476.
    - Report of Comm. D-9, 488.
- Paperboard
  - Report of Comm. D-6, 476.
- Papers and Publications
  - Report of Comm. on Papers and Publications, 83.
- Paraffin Wax
  - blocking point
    - proposed standards, published in ASTM D-2 Compilation, 896.
  - oxidation stability
    - proposed standards, published in ASTM D-2 Compilation, 901.
- Particle Size
  - Report of Comm. E-1, 577.
- Paving Materials
  - Report of Comm. D-4, 465.
- Petroleum
  - Report of Comm. D-2, 448.
- Pigments
  - Report of Comm. D-1, 434.
- Piles
  - pressure distribution (Reese and Seed), 1156.
- Pipe
  - concrete
    - Report of Comm. C-13, 409.
- Pitch
  - Report of Comm. D-8, 485.
- Plastic Films
  - tensile and tear measuring methods (Reinhart and Mandel). Published in ASTM BULLETIN, No. 209, Oct., 50 (TP204).
- Plastics
  - fatigue testing (Carey). Published in ASTM BULLETIN, No. 206, May, 52 (TP100).
  - glass fiber reinforced
    - microscopic examination (Weber). Published in ASTM BULLETIN, No. 208, Sept., 49 (TP175).
  - high-speed testing (Dorsey, McGarry, and Dietz). Published in ASTM BULLETIN, No. 211, Jan., 34 (TP6).
  - Report of Comm. D-9, 488.
  - Report of Comm. D-20, 554, 559.
- Plastic Strain
  - departure from ideality (Lequear and Lubahn), 824 (R).
- Polishes
  - Report of Comm. D-21, 567.
- Polyvinyl Butyral
  - proposed methods, 445.
- Porcelain Enamel
  - sag resistance of steel sheets
    - proposed method, 431.
  - set characteristics, clays
    - suggested method, 429.
  - Report of Comm. C-22, 426, 429, 431.
- Powder Metallurgy
  - Gillett Lecture (Lenel) 665 (R).
- Preservatives
  - wood
    - Report of Comm. D-7, 481.
- President's Address
  - annual address (Mochel), 39.
- President's Talks
  - annual address (Mochel). Published in ASTM BULLETIN, No. 207, July, 53 (TP125).
- Proposed Standards
  - benzene, toluene, ethylbenzene, xylenes
    - infrared spectrophotometry test, published in ASTM D-2 Compilation, 925.
  - bituminous materials
    - water, published in ASTM D-2 Compilation, 50-A.
  - color of petroleum products, published in ASTM D-2 Compilation, 94A.
  - classification of copper-base alloys, published in ASTM B-5 Compilation, 599.
  - cutting oils
    - emulsion stability, published in ASTM D-2 Compilation, 889.
  - fuel oil
    - vanadium, published in ASTM D-2 Compilation, 905.
  - gasoline
    - tetraethyllead, published in ASTM D-2 Compilation, 914.
  - grease, lubricating
    - consistency, published in ASTM D-2 Compilation, 918.
    - deleterious particles, published in ASTM D-2 Compilation, 921.

- liquid petroleum products
    - heat of combustion, published in ASTM D-2 Compilation, 910.
  - lubricating oils
    - galvanic corrosion, published in ASTM D-2 Compilation, 892.
  - mortar and concrete
    - packaged, dry, combined materials, Published in ASTM BULLETIN, No. 205, April, 28.
  - paraffin wax
    - blocking point, published in ASTM D-2, Compilation, 896.
    - oxidation stability, published in ASTM D-2, Compilation, 901.
  - polyvinyl butyral, 445.
  - porcelain enamel clays
    - set characteristics, 429.
  - porcelain enameling
    - sag resistance of steel sheets, 431.
  - pulse velocity of elastic waves in concrete. Published in ASTM BULLETIN, No. 204, Feb., 19.
  - resin
    - heat-unstable
      - nonvolatile content, 442.
  - rosin
    - gum
      - crystallization tendency, 531.
  - sodium carboxymethylcellulose
    - viscosity, 573.
  - tall oil skimmings, 533.
  - Pyrometry
    - Panel on Pyrometric Practices. Summary of proceedings of *STP 173*, 1059:
      - introduction (Freeman).
      - creep and rupture (Wilks).
      - creep-rupture procedure (Leyda).
      - thermocouple immersion errors (Berry and Martin).
      - closing remark (Freeman).
- Q**
- Quality Control
    - Report of Comm. E-11, 651.
  - Quicklime
    - Report of Comm. C-7, 390.
- R**
- Radiography
    - Report of Comm. E-7, 647.
    - soil density determined by Gamma rays (Bernhard and Chasek), 1199, Disc., 1217.
  - Rayon
    - Report of Comm. D-13, 508.
  - Reactor Testing Station, Published in ASTM BULLETIN, No. 203, Jan., 38.
  - Refractories
    - Report of Comm. C-8, 392, 397.
  - Research
    - corporate grants, Published in ASTM BULLETIN, No. 205, April, 30.
    - materials research in ASTM (Lester). Published in ASTM BULLETIN, No. 207, July, 39.
  - National Research Council, Published in ASTM BULLETIN, No. 209, Oct., 25.
  - Report of Administrative Comm. on Research, 81.
  - Resin
    - heat-unstable
      - nonvolatile content
        - proposed method, 442.
  - Road Materials
    - Report of Comm. D-4, 465.
    - Report of Comm. D-18, 536.
  - Roofing Materials
    - Report of Comm. D-8, 485.
  - Rosin
    - gum
      - crystallization tendency
        - proposed method, 531.
  - Rosin
    - Report of Comm. D-17, 526.
  - Rubber
    - cure characteristics
      - Mooney viscometer determinations (Decker and Mandel). Published in ASTM BULLETIN No. 209, Oct., 47 (TP201).
    - Report of Comm. D-11, 496.
    - statistics—a tool in testing (Mandel and Stiehler). Published in ASTM BULLETIN, No. 204, Feb., 44 (TP46).
    - test specimen
      - preparation by grinding (Eller and Gondek). Published in ASTM BULLETIN, No. 206, May, 70 (TP118).
    - vulcanized
      - stress relaxation in compression and tension (Eller). Published in ASTM BULLETIN, No. 207, July, 78 (TP150). Disc., 85 (TP157).
- S**
- Sandwich Constructions
    - structural
      - Report of Comm. C-19, 420.
  - Shellac
    - Report of Comm. D-1, 434.
  - Shipping Containers
    - Report of Comm. D-10, 494.
  - Siding Materials
    - Report of Comm. D-8, 485.
  - Significance Tests
    - nomographs (Li). Published in ASTM BULLETIN, No. 205, April, 46 (TP72).
  - Simulated Service Testing
    - Report of Comm. on Simulated Service Testing, 88.
  - Snag Tester
    - coated fabrics and plastic films (Reinhart, Brown, Boor and Lamb). Published in ASTM BULLETIN, No. 210, Dec., 50 (TP226).
  - Soaps
    - Report of Comm. D-12, 504.
  - Soils
    - density determined by gamma rays (Bernhard and Chasek), 1199, Disc., 1217.
    - density of sands measurement (Griffin). Pub-

- lished in ASTM BULLETIN, No. 212 Feb., 51 (TP39).
- filters  
design criteria (Karpoff), 1183.
- judgment factors  
Symposium on Judgment Factors in Soils Testing, Summary of Proceedings, 5: introduction (Legget).  
the history and development of Committee D-18 (Kilcawley).  
judgment factors and the environment in soil testing (Burmister).  
critical review work of Committee D-18 (Cummings).  
future possibilities and activities of Committee D-18 (Woods).  
Report of Comm. D-18, 536.
- Sodium carboxymethylcellulose  
viscosity  
proposed method, 573.
- Solder  
Report of Comm. B-2, 182.
- Solvents  
resin  
proposed method. Report of Comm. D-1, 442.
- Specimen Size  
effect on properties at high temperatures (Shahinian and Lane), 724, Disc., 731.
- Speed of Testing  
Report of Comm. E-1, 577.  
Symposium. Summary of proceedings of STP 185, 1226:  
concrete (Shideler and McHenry).  
glass (Ritland).  
paper, tensile strength (Green).  
plastics testing (Dietz and McGarry).  
preliminary data (Rugger).  
tension  
elastometers and hard rubber (Scott and Villars).  
wood (Markwardt and Liska).  
yarns (Schiefer, Smith, McCrackin and Stone).
- Standardization  
A producer looks at standards (Schaefer) Published in ASTM BULLETIN, No. 203, Jan., 45 (TP5).  
actions on standards, Published in ASTM BULLETIN, No. 203, Jan., 20; No. 204, Feb., 9; No. 205, April, 21; No. 206, May, 21; No. 207, July, 37; No. 208, Sept., 5; No. 209, Oct., 11.  
material standards  
department of defense (Watts). Published in ASTM BULLETIN, No. 203, Jan., 47 (TP7). Disc., 50 (TP10).  
Report of Administrative Comm. on Standards, 75.  
specifications from consumer viewpoint (Green). Published in ASTM BULLETIN, No. 203, Jan., 43 (TP3). Disc., 50 (TP10).  
what standards mean to us (Painter), No. Published in ASTM BULLETIN, No. 203, Jan., 41 (TP1).
- Statistical Analysis  
Report of Comm. E-11, 651.
- Statistics  
rubber testing (Mandel and Stiehler). Published in ASTM BULLETIN, No. 204, Feb., 44 (TP46).
- Steel  
alloy  
strain-rate effect (Lequear and Lubahn), 719.  
corrosion  
Report of Comm. A-5, 120.  
corrosion-resisting  
Report of Comm. A-10, 156, 160, 169.  
decomposition of austenite and martensite (Austin and Schwartz), 623.  
electron microstructures of bainite and martensite (Teague and Ross), 590. Disc., 609.  
hot-rolled low-carbon  
time and temperature effect on impact and tension (Garofalo, Smith, and Marsden), 708 (R).  
neutron irradiation (Wilson and Berggren), 689 (R). Disc., 707.  
Report of Comm. A-1, 89, 94.  
sheets for porcelain enameling  
sag resistance  
Report of Comm. C-22, 431.
- stainless  
Report of Comm. A-10, 169.  
X-ray diffraction measurement of phase composition (Grube and Koistinen), 626.  
X-ray diffraction measurements of retained austenite (Beu), 630.  
yield rate (Forscher). Published in ASTM BULLETIN, No. 205, April, 63 (TP89). Disc., No. 207, July, 60 (TP132).
- Stress Relaxation  
nonmetallic gasket material (Lem and Reynar). Published in ASTM BULLETIN, No. 207, July, p. 81 (TP153). Disc., 85 (TP157).  
vulcanized rubber  
compression and tension (Eller). Published in ASTM BULLETIN, No. 207, July, 78 (TP150). Disc., 85 (TP157).
- T**
- Tall Oil Skimmings  
proposed methods, 533.
- Tar  
Report of Comm. D-4, 465.  
Report of Comm. D-8, 485.
- Technical Committee Notes. Published in ASTM BULLETIN, No. 203, Jan., 5; 31; No. 205, April, 13; No. 206, May, 36; No. 207, July, 47; No. 209, Oct., 16.
- Temperature Effect  
carburization resistance test (Spooner, Thomas and Thomassen), 793.  
compression-creep  
metals and cermets (Yerkovich and Guarnieri), 732 (R). Disc., 755.  
heat-resistant casting alloy (Mangone, Burgan, and Hall), 765.  
inconel  
aerodynamic heating research (O'Sullivan, Jr.), 757. Disc., 764.

- metals  
 Report of Joint Comm. on Effect of Temperature, 357.  
 Report of Comm. B-4, 187.
- specimen dimension  
 effect on elevated temperature properties (Shahinian and Lane), 724. Disc., 731.
- Symposium on Basic Effects of Environment on Strength, Scaling, and Embrittlement of Metals at Elevated Temperatures. Summary of proceedings of *STP 171*, 1227:  
 introduction (Davis).  
 deformation of metals monocrystals (Gilman).  
 intergranular oxidation in stainless steel (Keith, Siebert, and Sinnott).  
 molybdenum-base alloys (Gleiser, Larsen, Speiser, and Spretnak).  
 oxidation (Radavich).  
 oxidation of nickel-chromium (Gulbransen and Andrew).  
 oxides (Radavich).
- Symposium on Metallic Materials Above 1600 F. Summary of proceedings of *STP 174*, 1058:  
 introduction (Krivobok).  
 chromium-nickel alloys (Bucklin and Grant).  
 fatigue of sheet metal (Lardge).  
 heat treatment and structure, effect on nimonic alloys (Betteridge and Smith).  
 inconel 700 (Manson and Succop).  
 influence of boron on cobalt-base alloy (Blatz, Reynolds and Dyrkacz).  
 molybdenum-rich alloy, by powder metallurgy (Bruckart and Jaffe).  
 nimonic alloys, tension and torsion (Ward and Tallis).  
 rare earth additions, effect on cobalt-base alloy (Brach and Lane).  
 S-816 alloy (Vitovec and Lazan).  
 sheet and bucket materials for jet-engines (Denny, Jahnke, Jones and Robertshaw).  
 thermal shock testing (Hunter).  
 titanium-carbide-base cermets (Pfaffinger, Blumenthal, and Glaser).  
 titanium-carbide products by infiltration (Skolnick and Goetzel).  
 zirconium-rich protective coatings (Blainey).
- Templin Award, PUBLISHED IN *ASTM BULLETIN*, No. 207, July, 21.
- Summary of Proceedings of Fifty-eighth Annual Meeting, 26.
- Tension  
 apparatus for -320F to 452F (Wessel). Published in *ASTM BULLETIN*, No. 211, Jan., 1956, 40 (TP12).  
 elevated temperature  
 deformation measurement errors (Thomas and Carlson). Published in *ASTM BULLETIN*, No. 206, May, 47 (TP95).  
 true stress-strain tests  
 diameter gage and dynamometer (Powell, Marshall and Backofen), 797 (R).
- plastics  
 high-speed testing (Dorsey, McGarry and Dietz). Published in *ASTM BULLETIN*, No. 211, Jan., 34 (TP6).
- Test Sites  
 atmospheric  
 Report of Advisory Comm. on Corrosion, 354.
- Test Specimens  
 Charpy V-notch  
 squareness determination (Siemen). Published in *ASTM BULLETIN*, No. 205, April, 34.
- concrete  
 fog rooms for curing (Carpenter). Published in *ASTM BULLETIN*, No. 209, Oct., 33 (TP187).
- rubber  
 preparation by grinding (Eller and Gondek). Published in *ASTM BULLETIN* No. 206, May, 70 (TP118).
- Testing Apparatus  
 acoustical materials  
 air-flow resistance (Sabine). Published in *ASTM BULLETIN* No. 211, Jan., 29 (TP1).  
 Boor-Quartermaster snag tester  
 coated fabrics and plastic films (Reinhart, Brown, Boor and Lamb). Published in *ASTM BULLETIN*, No. 210, Dec., 50 (TP226).  
 constant-load (Clark and Sidebottom). Published in *ASTM BULLETIN*, No. 203, Jan., 69 (TP29).  
 ultrasonics testing bonded materials (Baumeister). Published in *ASTM BULLETIN*, No. 204, Feb., 50 (TP52).
- Testing Machines  
 Report of Comm. E-1, 577.
- Testing Methods  
 Report of Comm. E-1, 577.
- Textiles  
 Report of Comm. D-13, 508, 510.  
 technology for analysis, design and use (Hamburger), see Summary of Proceedings, 26 (issued as separate pamphlet).
- Thermal Insulating Materials  
 Report of Comm. C-16, 416.
- Thermal Insulating Properties  
 schlieren technique (Monego). Published in *ASTM BULLETIN*, No. 208, Sept., 33 (TP159).
- Thermometers  
 Report of Comm. E-1, 577.
- Thompson Award. PUBLISHED IN *ASTM BULLETIN*, No. 207, July, 21.
- Tile  
 clay  
 Report of Comm. C-15, 413.
- drain  
 Report of Comm. C-15, 413.
- Timber  
 Report of Comm. D-7, 481.
- Titanium  
 Report of Comm. B-2, 182.

Transformer Oil  
Report of Comm. D-9, 488.

## U

Ultrasonic Testing  
Report of Comm. E-7, 647.

## V

Vapor Barriers  
Report of Comm. C-16, 416.

Varnish  
Report of Comm. D-1, 434.

Viscosity  
motor oil  
composition influence (Foreman), Published in ASTM BULLETIN, No. 209, Oct., 44 (TP198).

thermosetting resins  
measuring by parallel plate plastometry (Marshall). Published in ASTM BULLETIN, No. 204, Feb., 40 (TP42).

## W

Water  
boiler feedwater  
Report of Comm. D-19, 539.  
evaporative industry  
abbreviated test for orthophosphate  
Report of Comm. D-19, 551.  
Report of Comm. D-19, 539.  
industrial  
Report of Comm. D-19, 539.  
testing methods  
Report of Comm. D-19, 548.  
industrial wastes  
Report of Comm. D-19, 539.  
Symposium on High Purity Water Corrosion.  
Summary of proceedings of STP 179, 1224:  
carbon and low alloy steels (Blaser and Owens).  
high-temperature water corrosion (Roe-buck).  
influence of water composition (Woughton, Seamon and Brown).  
preparing and maintaining (Alquist).  
use in atomic reactors (Huntley and Untermeyer).

Waterproofing  
Report of Comm. D-8, 485.

Wax, Refined Paraffin  
Perkins tensile strength briquet streamlining effect on stresses (Ridenour and Bowman). Published in ASTM BULLETIN, No. 208, Sept., 48 (TP174).  
Report of Comm. D-21, 567.

Weathering  
Report of Comm. B-3, 185.

Whiteware  
ceramic  
Report of Comm. C-21, 424.

Wire Testing  
atmospheric exposure  
Report of Comm. A-5, 124.

Wood  
Committee D-7, 50 yr. (Fulweiler). Published in ASTM BULLETIN, No. 206, May, 40.  
Report of Comm. D-7, 481.

Wood Pole Research  
Published in ASTM BULLETIN, No. 208, Sept., 25.

Wool  
Report of Comm. D-13, 508.

Wool Blankets  
variability of wool content (Horowitz and Connor). Published in ASTM BULLETIN, No. 208, Sept., 42 (TP168).

Wrought Iron  
Report of Comm. A-2, 116.

## X

X-ray Diffraction Measurement  
phase composition  
Carbon Steel (Grube and Koistinen) 626.

## Y

Yarn Numbering  
simplification (Hentschel). Published in ASTM BULLETIN, No. 206, May, 44.

## Z

Zinc  
Report of Comm. B-2, 182.